

6910321

WB Exterlack RAL 9005 Black

Printing: 28/10/2024 Date of compilation: 08/04/2019

Revised: 07/02/2022

Version: 8 (Replaced 7)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier:

6910321 WB Exterlack RAL 9005 Black

Other means of identification:

Not relevant

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: Product for varnishing wood. For industrial user only.

Uses advised against: All uses not specified in this section or in section 7.3

1.3 Details of the supplier of the safety data sheet:

Industrias Químicas Masquelack, S.A. Carrer de Pedrosa nº 26-28 08783 Masquefa - Barcelona - Spain Phone: +34937725281 - Fax: +34937726542 info@masquelack.com http://www.masquelack.com

1.4 Emergency telephone number: +34 937725281

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

CLP Regulation (EC) No 1272/2008:

The product is not classified as hazardous according to CLP Regulation (EC) No 1272/2008.

2.2 Label elements:

CLP Regulation (EC) No 1272/2008:

Hazard statements:

Not relevant

Precautionary statements:

Not relevant

Supplementary information:

EUH208: Contains 1,2-benzisothiazol-3(2H)-one, Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction. EUH210: Safety data sheet available on request.

2.3 Other hazards:

Product does not meet PBT/vPvB criteria Endocrine-disrupting properties: The product does not meet the criteria.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Aqueous mixture composed of additives, aggregates, pigments and resins

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

- CONTINUED ON NEXT PAGE -



6910321

WB Exterlack RAL 9005 Black

Printing: 28/10/2024

Date of compilation: 08/04/2019

Revised: 07/02/2022

Version: 8 (Replaced 7)

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

	Identification		Chemical name/Classification	Concentration	
CAS: EC:	37244-96-5 Non-applicable	Nepheline syenite ⁽¹⁾	Not classified	-	
Index: REACH:	Non-applicable Non-applicable	Regulation 1272/2008		2,5 - <5 %	
CAS:	111-76-2	2-butoxyethanol ⁽²⁾	ATP ATP18		
EC: Index: REACH:	203-905-0 603-014-00-0 01-2119475108-36- XXXX	Regulation 1272/2008	Acute Tox. 3: H331; Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin Irrit. 2: H315 - Danger 🔗	0,5 - <1 %	
CAS:	34590-94-8 252-104-2	Dipropylene Glycol M	lethyl Ether ⁽²⁾ Not classified		
EC: Index: REACH:	Non-applicable 01-2119450011-60- XXXX	Regulation 1272/2008		0,1 - <0,5 %	
CAS:	2634-33-5 220-120-9 613-088-00-6 : 01-2120761540-60- XXXX		1,2-benzisothiazol-3	(2H)-one ⁽³⁾ ATP CLP00	
EC: Index: REACH:		Regulation 1272/2008	Acute Tox. 4: H302; Aquatic Acute 1: H400; Eye Dam. 1: H318; Skin Irrit. 2: H315; 🔅 🗘 🏠 Skin Sens. 1: H317 - Danger	<0,1 %	
CAS: EC:	55965-84-9 Non-applicable	Reaction mass of 5-c 3-one (3:1) ⁽³⁾	hloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol- ATP ATP13		
Index: REACH:	613-167-00-5 Non-applicable	Regulation 1272/2008	Acute Tox. 2: H310+H330; Acute Tox. 3: H301; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Dam. 1: H318; Skin Corr. 1C: H314; Skin Sens. 1A: H317; EUH071 - Danger	<0,1 %	

⁽¹⁾ Substance with a Union workplace exposure limit
⁽²⁾ Voluntarily-listed substance failing to meet any of the criteria set out in Regulation (EU) No. 2020/878
⁽³⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Other information:

	Identification			M-factor
Reaction mass of 5-ch	oro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothia	azol-3-one (3:1)	Acute	100
CAS: 55965-84-9	EC: Non-applicable		Chronic	100
	Identification	Spec	cific concentrati	ion limit
1,2-benzisothiazol-3(2) CAS: 2634-33-5 EC: 220-120-9	H)-one	% (w/w) >=0,05: Skin Sens	s. 1 - H317	
Reaction mass of 5-chl isothiazol-3-one (3:1) CAS: 55965-84-9 EC: Non-applicable	oro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-	% (w/w) >=0,6: Skin Corr. 0,06<= % (w/w) <0,6: Skir % (w/w) >=0,6: Eye Dam. 0,06<= % (w/w) <0,6: Eye % (w/w) >=0,0015: Skin Se	n Irrit. 2 - H315 1 - H318 Irrit. 2 - H319	

Acute toxicity estimate for the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or as determined in accordance with Annex I to that Regulation:

Identification	Acu	Genus	
2-butoxyethanol	LD50 oral	1200 mg/kg	Rat
CAS: 111-76-2	LD50 dermal	Not relevant	
EC: 203-905-0	LC50 inhalation	3 mg/L	
1,2-benzisothiazol-3(2H)-one	LD50 oral	500 mg/kg	Rat
CAS: 2634-33-5	LD50 dermal	Not relevant	
EC: 220-120-9	LC50 inhalation	Not relevant	
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	LD50 oral	64 mg/kg	Rat
CAS: 55965-84-9	LD50 dermal	87,12 mg/kg	Rabbit
EC: Non-applicable	LC50 inhalation	Not relevant	

SECTION 4: FIRST AID MEASURES

Description of first aid measures: 4.1

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

- CONTINUED ON NEXT PAGE -



Printing: 28/10/2024 Date of compilation: 08/04/2019

Revised: 07/02/2022

Version: 8 (Replaced 7)

SECTION 4: FIRST AID MEASURES (continued)

By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:

This product is not classified as hazardous when in contact with the skin. However, in case of skin contact it is recommended to remove contaminated clothes and shoes, rinse the skin or if necessary shower the affected person thoroughly with cold water and neutral soap. In case of serious reaction consult a doctor.

By eye contact:

Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case removal could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS for the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Not relevant

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

Non-applicable

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:


Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

- CONTINUED ON NEXT PAGE -





6910321 Exterio de DAL 0005 B

WB Exterlack RAL 9005 Black

Printing: 28/10/2024 Date of compilation: 08/04/2019

Revised: 07/02/2022

Version: 8 (Replaced 7)

SECTION 6: ACCIDENTAL RELEASE MEASURES (continued)

It is recommended to avoid environmental spillage of both the product and its container.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

7.2 Conditions for safe storage, including any incompatibilities:

A.- Specific storage requirements

Minimum Temp.: 5 °C

Maximum Temp.: 35 °C

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

Identification	Occupatio	onal exposure limits
Nepheline syenite	IOELV (8h)	0,1 mg/m ³
CAS: 37244-96-5 EC: Non-applicable	IOELV (STEL)	
2-butoxyethanol (1)	IOELV (8h) 24	0 ppm 98 mg/m ³
CAS: 111-76-2 EC: 203-905-0	IOELV (STEL) 5	0 ppm 246 mg/m ³
Dipropylene Glycol Methyl Ether (1)	IOELV (8h) 50	0 ppm 308 mg/m ³
CAS: 34590-94-8 EC: 252-104-2	IOELV (STEL)	

(1) Skin

DNEL (Workers):



6910321 WB Exterlack RAL 9005 Black

Printing: 28/10/2024

Date of compilation: 08/04/2019

Revised: 07/02/2022

Version: 8 (Replaced 7)

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

		Short	Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local	
2-butoxyethanol	Oral	Not relevant	Not relevant	Not relevant	Not relevant	
CAS: 111-76-2	Dermal	89 mg/kg	Not relevant	125 mg/kg	Not relevant	
EC: 203-905-0	Inhalation	1091 mg/m ³	246 mg/m ³	98 mg/m ³	Not relevant	
Dipropylene Glycol Methyl Ether	Oral	Not relevant	Not relevant	Not relevant	Not relevant	
CAS: 34590-94-8	Dermal	Not relevant	Not relevant	283 mg/kg	Not relevant	
EC: 252-104-2	Inhalation	Not relevant	Not relevant	308 mg/m ³	Not relevant	
1,2-benzisothiazol-3(2H)-one	Oral	Not relevant	Not relevant	Not relevant	Not relevant	
CAS: 2634-33-5	Dermal	Not relevant	Not relevant	0,966 mg/kg	Not relevant	
EC: 220-120-9	Inhalation	Not relevant	Not relevant	6,81 mg/m ³	Not relevant	

DNEL (General population):

		Shor	Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local	
2-butoxyethanol	Oral	Not relevant	Not relevant	6,3 mg/kg	Not relevant	
CAS: 111-76-2	Dermal	89 mg/kg	Not relevant	75 mg/kg	Not relevant	
EC: 203-905-0	Inhalation	426 mg/m ³	147 mg/m ³	59 mg/m ³	Not relevant	
Dipropylene Glycol Methyl Ether	Oral	Not relevant	Not relevant	36 mg/kg	Not relevant	
CAS: 34590-94-8	Dermal	Not relevant	Not relevant	121 mg/kg	Not relevant	
EC: 252-104-2	Inhalation	Not relevant	Not relevant	37,2 mg/m ³	Not relevant	
1,2-benzisothiazol-3(2H)-one	Oral	Not relevant	Not relevant	Not relevant	Not relevant	
CAS: 2634-33-5	Dermal	Not relevant	Not relevant	0,345 mg/kg	Not relevant	
EC: 220-120-9	Inhalation	Not relevant	Not relevant	1,2 mg/m ³	Not relevant	
PNEC:						
Identification						
2-butoxyethanol	STP	463 mg/L	Fresh water		8,8 mg/L	
CAC: 111 7C 0	Cail	2.22 mg/kg	Maxino water		0.00 mg/l	

2-butoxyethanoi	SIP	463 Mg/L	Fresh water	6,6 Mg/L
CAS: 111-76-2	Soil	2,33 mg/kg	Marine water	0,88 mg/L
EC: 203-905-0	Intermittent	26,4 mg/L	Sediment (Fresh water)	34,6 mg/kg
	Oral	0,02 g/kg	Sediment (Marine water)	3,46 mg/kg
Dipropylene Glycol Methyl Ether	STP	4168 mg/L	Fresh water	19 mg/L
CAS: 34590-94-8	Soil	2,74 mg/kg	Marine water	1,9 mg/L
EC: 252-104-2	Intermittent	190 mg/L	Sediment (Fresh water)	70,2 mg/kg
	Oral	Not relevant	Sediment (Marine water)	7,02 mg/kg
1,2-benzisothiazol-3(2H)-one	STP	1,03 mg/L	Fresh water	0,00403 mg/L
CAS: 2634-33-5	Soil	3 mg/kg	Marine water	0,000403 mg/L
EC: 220-120-9	Intermittent	0,0011 mg/L	Sediment (Fresh water)	0,0499 mg/kg
	Oral	Not relevant	Sediment (Marine water)	0,00499 mg/kg

8.2 **Exposure controls:**

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

Filter mask for particles Filter mask for particles EN 149:2001+A1:2010 Replace when an increase in resistence to breathing is observed.	Pictogram	PPE	Labelling	CEN Standard	Remarks
	Compulsory use of	Filter mask for particles		EN 149:2001+A1:2010	

C.- Specific protection for the hands

- CONTINUED ON NEXT PAGE -



COATINGS	WB EXTERIACK RAL 9005 BIACK						
ting: 28/10/2024	Date of com	pilation: 08/04	/2019	Revised: 07/02/2022	Vers	ion: 8 (Replaced 7)	
ECTION 8: EXPOS	SURE CONTRC	LS/PERSON/	AL PROTECT	ON (continued)			
Pictogra	m	PPE	Labelling	CEN Standard		Remarks	
Mandatory H protectio	minand	gloves against nor risks	CATI		prolon professi CE	gloves in case of any sign of damage. For ged periods of exposure to the product for onal users/industrials, we recommend usin III gloves in line with standards EN ISO 0:2020 and EN ISO 374-1:2016+A1:2018	
	ity and has there				aterial can	not be calculated in advance with	
Pictogra	m	PPE	Labelling	CEN Standard		Remarks	
Mandatory	splash, face	glasses against projections.		EN 166:2002 EN ISO 4007:2018		laily and disinfect periodically according to nufacturer´s instructions. Use if there is a risk of splashing.	
E Body protec	tion						
Pictogra	m	PPE	Labelling	CEN Standard		Remarks	
	Wor	k clothing	CATI		period I recomr	e before any evidence of deterioration. Fo s of prolonged exposure to the product for professional/industrial users CE III is nended, in accordance with the regulation SO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.	
	Anti-slip	o work shoes		EN ISO 20347:2022	period recom	e before any evidence of deterioration. For s of prolonged exposure to the product for professional/industrial users CE III is nended, in accordance with the regulation N ISO 20345:2022 y EN 13832-1:2007	
F Additional e	mergency meas	ures					
Emerger	ncy measure	St	andards	Emergency m	easure	Standards	
Emerge	ncy shower		5I Z358-1 11, ISO 3864-4:20	11 Eyewash sta	ations	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011	
Environmenta	Environmental exposure controls:						
In accordance spillage of both	with the commu	nity legislation I its container.		on of the environment nformation see subsec		mended to avoid environmental	
volatile orgal		5/ELL this proc	duct has the fol	lowing characteristics:			
•	Directive 2010/7	$_{\rm J/LO}$, this prot					
•			% weight				
With regard to V.O.C. (Sup		0,92		′L)			
With regard to V.O.C. (Sup V.O.C. dens	ply):	0,92	% weight	/L)			

V.O.C. density at 20 °C: 18,86 kg/m³ (18,86 g/L)

EU limit for the product (Cat. A.D): 130 g/L (2010)

Components: Not relevant

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

For complete information see the product datasheet.

*Not available due to the nature of the product, not providing information property of its hazards.

- CONTINUED ON NEXT PAGE -



Printing: 28/10/2024

6910321

WB Exterlack RAL 9005 Black


Revised: 07/02/2022

Date of compilation: 08/04/2019

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

Version: 8 (Replaced 7)

	Appearance:	
	Physical state at 20 °C:	Liquid
	Appearance:	Viscous
	Colour:	Black
	Odour:	Characteristic
	Odour threshold:	Not available *
	Volatility:	
	Boiling point at atmospheric pressure:	100 - 4200 °C
	Vapour pressure at 20 °C:	2342 Pa
	Vapour pressure at 50 °C:	12337,7 Pa (12,34 kPa)
	Evaporation rate at 20 °C:	Not available *
	Product description:	
	Density at 20 °C:	1069 kg/m³
	Relative density at 20 °C:	1,069
	Dynamic viscosity at 20 °C:	Not available *
	Kinematic viscosity at 20 °C:	Not available *
	Kinematic viscosity at 40 °C:	>20,5 mm²/s
	Concentration:	Not available *
	pH:	7 - 9 (at 100 %)
	Vapour density at 20 °C:	Not available *
	Partition coefficient n-octanol/water 20 °C:	Not available *
	Solubility in water at 20 °C:	Not available *
	Solubility properties:	Water miscible
	Decomposition temperature:	Not available *
	Melting point/freezing point:	Not available *
	Flammability:	
	Flash Point:	>101 °C
	Flammability (solid, gas):	Not available *
	Autoignition temperature:	204 °C
	Lower flammability limit:	Not available *
	Upper flammability limit:	Not available *
	Particle characteristics:	
	Median equivalent diameter:	Non-applicable
.2	Other information:	
	Information with regard to physical hazard cla	sses:
	Explosive properties:	Not available *
	Oxidising properties:	Not available *
	Corrosive to metals:	Not available *
	Heat of combustion:	Not available *
	Aerosols-total percentage (by mass) of flammable components:	Not available *
	Other safety characteristics:	
	Surface tension at 20 °C:	Not available *
	Refraction index:	Not available *
	*Not available due to the nature of the product, not providing in	formation property of its hazards.





6910321

WB Exterlack RAL 9005 Black

Date of compilation: 08/04/2019 Revised: 07/02/2022

Version: 8 (Replaced 7)

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

Total lead:

Printing: 28/10/2024

0 ppm

*Not available due to the nature of the product, not providing information property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

10.5

Applicable for handling and storage at room temperature:

	Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity	
	Not applicable	Not applicable Not applicable		Not applicable	Not applicable	
5	Incompatible materials:	1				
	Acids	Water	Oxidising materials	Combustible materials	Others	
	Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases	

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO₂), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:


The experimental information related to the toxicological properties of the product itself is not available

Contains glycols. It is recommended not to breathe the vapours for prolonged periods of time due to the possibility of effects that are hazardous to the health .

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- B- Inhalation (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Prolonged inhalation of the product is corrosive to mucous membranes and the upper respiratory tract
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for skin contact. For more information see section 3.
 - Contact with the eyes: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):





Date of compilation: 08/04/2019 Revised: 07/02/2022

Version: 8 (Replaced 7)

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
- IARC: 2-butoxyethanol (3); Talc (3); Carbon black (2B)
- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.

- Skin: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous with sensitising effects. For more information see section 3.

F- Specific target organ toxicity (STOT) - single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as
 - hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Not relevant

Specific toxicology information on the substances:

Identification	Acu	te toxicity	Genus	
Nepheline syenite	LD50 oral	>2000 mg/kg		
CAS: 37244-96-5	LD50 dermal	>2000 mg/kg		
EC: Non-applicable	LC50 inhalation	>5 mg/L		
2-butoxyethanol	LD50 oral	1200 mg/kg	Rat	
CAS: 111-76-2	LD50 dermal	3000 mg/kg	Rabbit	
EC: 203-905-0	LC50 inhalation	3 mg/L (ATEi)		
Dipropylene Glycol Methyl Ether	LD50 oral	>5000 mg/kg	Rat	
CAS: 34590-94-8	LD50 dermal	9510 mg/kg	Rabbit	
EC: 252-104-2	LC50 inhalation	>20 mg/L		
1,2-benzisothiazol-3(2H)-one	LD50 oral	500 mg/kg	Rat	
CAS: 2634-33-5	LD50 dermal	>2000 mg/kg		
EC: 220-120-9	LC50 inhalation	>5 mg/L		
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	LD50 oral	64 mg/kg	Rat	
CAS: 55965-84-9	LD50 dermal	87,12 mg/kg	Rabbit	
EC: Non-applicable	LC50 inhalation	0,33 mg/L (4 h)	Rat	

Acute Toxicity Estimate (ATE mix):

ATE mix		Ingredient(s) of unknown toxicity	
Oral	>2000 mg/kg (Calculation method)	Non-applicable	
Dermal	>2000 mg/kg (Calculation method)	Non-applicable	
Inhalation	373,78 mg/L (4 h) (Calculation method)	0 %	

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product does not meet the criteria.

Other information

- CONTINUED ON NEXT PAGE -



Printing: 28/10/2024

Date of compilation: 08/04/2019

Revised: 07/02/2022

Version: 8 (Replaced 7)

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Not relevant

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

12.1 Toxicity:

Acute toxicity:

Identification		Concentration	Species	Genus
2-butoxyethanol	LC50	1490 mg/L (96 h)	Lepomis macrochirus	Fish
CAS: 111-76-2	EC50	1815 mg/L (48 h)	Daphnia magna	Crustacean
EC: 203-905-0	EC50	911 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae
Dipropylene Glycol Methyl Ether	LC50	10000 mg/L (96 h)	Pimephales promelas	Fish
CAS: 34590-94-8	EC50	1919 mg/L (48 h)	Daphnia magna	Crustacean
EC: 252-104-2	EC50	Not relevant		
1,2-benzisothiazol-3(2H)-one	LC50	>0.1 - 1 mg/L (96 h)		Fish
CAS: 2634-33-5	EC50	>0.1 - 1 mg/L (48 h)		Crustacean
EC: 220-120-9	EC50	>0.1 - 1 mg/L (72 h)		Algae
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2- methyl-2H-isothiazol-3-one (3:1)	LC50	>0.1 - 1 mg/L (96 h)		Fish
CAS: 55965-84-9	EC50	>0.1 - 1 mg/L (48 h)		Crustacean
EC: Non-applicable	EC50	>0.1 - 1 mg/L (72 h)		Algae

Chronic toxicity:

Identification	Concentration		Species	Genus
2-butoxyethanol	NOEC	100 mg/L	Danio rerio	Fish
CAS: 111-76-2 EC: 203-905-0	NOEC	100 mg/L	Daphnia magna	Crustacean
Dipropylene Glycol Methyl Ether	NOEC	Not relevant		
CAS: 34590-94-8 EC: 252-104-2	NOEC	0,5 mg/L	Daphnia magna	Crustacean

12.2 Persistence and degradability:

Substance-specific information:

Identification	De	gradability	Biode	egradability
2-butoxyethanol	BOD5	0,71 g O2/g	Concentration	100 mg/L
CAS: 111-76-2	COD	2,2 g O2/g	Period	14 days
EC: 203-905-0	BOD5/COD	0,32	% Biodegradable	96 %
Dipropylene Glycol Methyl Ether	BOD5	Not relevant	Concentration	Not relevant
CAS: 34590-94-8	COD	0 g O2/g	Period	28 days
EC: 252-104-2	BOD5/COD	Not relevant	% Biodegradable	73 %
1,2-benzisothiazol-3(2H)-one	BOD5	Not relevant	Concentration	100 mg/L
CAS: 2634-33-5	COD	Not relevant	Period	28 days
EC: 220-120-9	BOD5/COD	Not relevant	% Biodegradable	0 %

12.3 Bioaccumulative potential:

Substance-specific information:

Identification	Bioaccu	Bioaccumulation potential	
2-butoxyethanol	BCF	3	
CAS: 111-76-2	Pow Log	0.83	
EC: 203-905-0	Potential	Low	
Dipropylene Glycol Methyl Ether	BCF	1	
CAS: 34590-94-8	Pow Log	-0.06	
EC: 252-104-2	Potential	Low	

- CONTINUED ON NEXT PAGE -



Printing: 28/10/2024 Date of compilation: 08/04/2019 Revised: 07/02/2022 Version: 8 (Replaced 7) SECTION 12: ECOLOGICAL INFORMATION (continued) Identification Bioaccumulation potential 1,2-benzisothiazol-3(2H)-one BCF 2 CAS: 2634-33-5 Pow Log 1.45 EC: 220-120-9 Potential Low 12.4 Mobility in soil: Identification Absorption/desorption Volatility 2-butoxyethanol Koc 8 Henry 1,621E-1 Pa·m3/mol CAS: 111-76-2 Conclusion Very High Dry soil No EC: 203-905-0 Surface tension 2,729E-2 N/m (25 °C) Moist soil Yes Insoluble in water, soluble in organic solvents 12.5 Results of PBT and vPvB assessment: Product does not meet PBT/vPvB criteria 12.6 Endocrine disrupting properties: Endocrine-disrupting properties: The product does not meet the criteria. 12.7 Other adverse effects: Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
08 01 12	waste paint and varnish other than those mentioned in 08 01 11	Non-hazardous

Type of waste (Regulation (EU) No 1357/2014):

Not relevant

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to ADR 2023 and RID 2023:

- CONTINUED ON NEXT PAGE -



Drinting, 29/10/2024	Data of compilation, 09/0	1/2010	Deviced: 07/02/2022	Version, 9 (Depleced 7)
Printing: 28/10/2024			Revised: 07/02/2022	Version: 8 (Replaced 7)
SECTION 14: T	RANSPORT INFORMATION (continued)		
14.1	UN number or ID number:	Not relevant		
14.2	UN proper shipping name:	Not relevant		
14.3	Transport hazard class(es):	Not relevant		
	Labels:	Not relevant		
14.4	Packing group:	Not relevant		
	Environmental hazards:	No		
14.6	Special precautions for user			
	Special regulations:	Not relevant		
	Tunnel restriction code:	Not relevant		
	Physico-Chemical properties:	see section 9		
	Limited quantities:	Not relevant		
14.7	Maritime transport in bulk according to IMO	Not relevant		
	instruments:			
Transpo	rt of dangerous goods by sea:			
With rega	rd to IMDG 41-22:			
14.1	UN number or ID number:	Not relevant		
14.2	UN proper shipping name:	Not relevant		
14.3	Transport hazard class(es):	Not relevant		
	Labels:	Not relevant		
14.4	Packing group:	Not relevant		
	Marine pollutant:	No		
14.6	Special precautions for user			
	Special regulations:	Not relevant		
	EmS Codes:			
	Physico-Chemical properties:	see section 9		
	Limited quantities:	Not relevant		
	Segregation group:	Not relevant		
14.7	Maritime transport in bulk	Not relevant		
	according to IMO instruments:			
Transpo	rt of dangerous goods by air:			
With rega	ird to IATA/ICAO 2024:			
14.1	UN number or ID number:	Not relevant		
14.2	UN proper shipping name:	Not relevant		
14.3	Transport hazard class(es):	Not relevant		
	Labels:	Not relevant		
	Packing group:	Not relevant		
-	Environmental hazards:	No		
14.6	Special precautions for user			
	Physico-Chemical properties:	see section 9		
14.7	Maritime transport in bulk according to IMO	Not relevant		
	instruments:			

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

- Regulation (EC) No 528/2012: contains a preservative to protect the initial properties of the treated article. Contains 1,2benzisothiazol-3(2H)-one, Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 1,2benzisothiazol-3(2H)-one.

- CONTINUED ON NEXT PAGE -



Printing: 28/10/2024 Date of compilation: 08/04/2019

Revised: 07/02/2022

Version: 8 (Replaced 7)

SECTION 15: REGULATORY INFORMATION (continued)

- Article 95, REGULATION (EU) No 528/2012: *1,2-benzisothiazol-3(2H)-one (2634-33-5) - PT: (2,6,9,11,12,13)*; Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9) - PT: (2,4,6,11,12,13) ; 1,2-benzisothiazol-3(2H)-one (2634-33-5) - PT: (2,6,9,11,12,13)

- Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Decamethylcyclopentasiloxane

(541-02-6); Dodecamethylcyclohexasiloxane (540-97-6); Octamethylcyclotetrasiloxane (556-67-2)

- Regulation (EU) No 2024/590, about substances that deplete the ozone layer: Not relevant

- REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Not relevant

- Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Not relevant

Seveso III:

Not relevant

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Contains Decamethylcyclopentasiloxane, Octamethylcyclotetrasiloxane, Dodecamethylcyclohexasiloxane. 1. Shall not be placed on the market (a) as a substance on its own; (b) as a constituent of other substances; or (c) in mixtures; in a concentration equal to or greater than 0,1 % by weight of the respective substance after 6 June 2026. 2. Shall not be used as a solvent for the dry cleaning of textiles, leather and fur after 6 June 2026. 3. By way of derogation: (a) for D4 and D5 in wash-off cosmetic products, paragraph 1, point (c), shall apply after 31 January 2020. For the purposes of this point, "wash-off cosmetic products" means cosmetic products as defined in Article 2(1), point (a), of Regulation (EC) No 1223/2009 of the European Parliament and of the Council (*) that, under normal conditions of use, are washed off with water after application; (b) for all cosmetic products other than the ones mentioned in paragraph 3(a), paragraph 1 shall apply after 6 June 2027; (c) for devices as defined in Article 1(4) of Regulation (EU) 2017/745 of the European Parliament and of the Council (**) and in Article 1(2) of Regulation (EU) 2017/746 of the European Parliament and the Council (***), paragraph 1 shall apply after 6 June 2031; (d) for medicinal products, as defined in Article 1, point 2, of Directive 2001/83/EC, and for veterinary medicinal products, as defined in Article 4(1) of Regulation (EU) 2019/6 (****), paragraph 1 shall apply after 6 June 2031; (e) for D5 as a solvent in the dry cleaning of textiles, leather and fur, paragraphs 1 and 2 shall apply after 6 June 2034. 4. By way of derogation, paragraph 1 shall not apply to the: (a) placing on the market of D4, D5 and D6 for the following industrial uses: — as a monomer in the production of silicone polymer, — as an intermediate in the production of other silicon substances, — as a monomer in polymerisation, — in the formulation or (re)packing of mixtures, — in the production of articles, — in non-metal surface treatment; (b) placing on the market of D5 and D6 for use as devices, as defined in Article 1(4) of Regulation (EU) 2017/745, for the treatment and care of scars and wounds, the prevention of wounds and the care of stoma; (c) placing on the market of D5 for professional use in the cleaning or restoration of art and antigues; (d) placing on the market of D4, D5 and D6 for use as laboratory reagent in research and development activities carried out under controlled conditions. 5. By way of derogation, paragraph 1, point (b), shall not apply to the placing on the market of D4, D5 and D6: — as a constituent of a silicone polymer on its own, — as a constituent of a silicone polymer in a mixture derogated under paragraph 6. 6. By way of derogation, paragraph 1, point (c), shall not apply to the placing on the market of mixtures that contain D4, D5 or D6 as residues from silicone polymers, under the following conditions: (a) D4, D5 or D6 in a concentration equal to or less than 1 % by weight of the respective substance in the mixture, for use in adhesion, sealing, gluing and casting; (b) D4 in a concentration equal to or less than 0,5 % by weight, or D5 or D6 in a concentration equal to or less than 0,3 % by weight of either substance in the mixture for use as protective coatings (including marine coatings); (c) D4, D5 or D6 in a concentration equal to or less than 0,2 % by weight of the respective substance in the mixture, for use as devices as defined in Article 1(4) of Regulation (EU) 2017/745 and in Article 1(2) of Regulation (EU) 2017/746, other than the devices referred to in paragraph 6(d); (d) D5 in a concentration equal to or less than 0,3 % by weight in the mixture or D6 in a concentration equal to or less than 1 % by weight in the mixture, for use as devices as defined in Article 1(4) of Regulation (EU) 2017/745, for dental impression; (e) D4 in a concentration equal to or less than 0,2 % by weight in the mixture, or D5 or D6 in a concentration equal to or less than 1 % by weight of either substance in the mixture for use as silicone insoles for horses, or as horseshoes; (f) D4, D5 or D6 in a concentration equal to or less than 0,5 % by weight of the respective substance in the mixture, for use as adhesion promoters; (g) D4, D5 or D6 in a concentration equal to or less than 1 % by weight of the respective substance in the mixture, for use in 3D-printing; (h) D5 in a concentration equal to or less than 1 % by weight in the mixture or D6 in a concentration equal to or less than 3 % by weight in the mixture, for rapid prototyping and mould making, or high performance uses stabilised by quartz filler; (i) D5 or D6 in a concentration equal to or less than 1 % by weight of either substance in the mixture, for use in pad printing, or manufacturing of printing pads; (j) D6 in a concentration equal to or less than 1 % by weight of the mixture, for professional use in the cleaning or restoration of art and antigues. 7. By way of derogation, paragraphs 1 and 2 shall not apply to the placing on the market for use, or to the use, of D5 as a solvent in strictly controlled closed dry cleaning systems for textile, leather and fur, where the cleaning solvent is recycled or incinerated. Laboral exposure to respirable crystalline silica must be controlled in accordance with Directive (EU) 2022/431, of the European Parliament and of the Council, of March 9, 2022, amending Directive 2004/37/EC, relating to the protection of workers against risks related to exposure to carcinogens or mutagens during work.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

- CONTINUED ON NEXT PAGE -



Printing: 28/10/2024

6910321 WB Exterlack RAL 9005 Black

Revised: 07/02/2022

Version: 8 (Replaced 7)

SECTION 15: REGULATORY INFORMATION (continued)

The product could be affected by sectorial legislation

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

Date of compilation: 08/04/2019

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.: Not relevant

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Acute Tox. 2: H310+H330 - Fatal in contact with skin or if inhaled.

Acute Tox. 3: H301 - Toxic if swallowed.

Acute Tox. 3: H331 - Toxic if inhaled.

Acute Tox. 4: H302 - Harmful if swallowed.

Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

Eye Dam. 1: H318 - Causes serious eye damage.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Skin Corr. 1C: H314 - Causes severe skin burns and eye damage.

Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1: H317 - May cause an allergic skin reaction.

Skin Sens. 1A: H317 - May cause an allergic skin reaction.

Classification procedure:

Not relevant

Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

http://echa.europa.eu http://eur-lex.europa.eu

Abbreviations and acronyms:

- ADR: European agreement concerning the international carriage of dangerous goods by road
- IMDG: International maritime dangerous goods code
- IATA: International Air Transport Association
- ICAO: International Civil Aviation Organisation
- COD: Chemical Oxygen Demand
- BOD5: 5day biochemical oxygen demand
- BCF: Bioconcentration factor
- LD50: Lethal Dose 50
- LC50: Lethal Concentration 50
- EC50: Effective concentration 50
- LogPOW: Octanolwater partition coefficient
- Koc: Partition coefficient of organic carbon
- UFI: unique formula identifier

IARC: International Agency for Research on Cancer

Product safety information sheet prepared in accordance with Article 32 of Regulation (EC) 1907/2006 (REACH)

this document does not constitute a Safety Data Sheet under Article 31 of Regulation (EC) No. 1907/2006, as a Safety Data Sheet is not mandatory for this product The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified. The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy.